


BRASS GARDEN HOSE FITTINGS

LEAD-FREE BRASS CONSTRUCTION

Approved for use with
potable water

HOSE THREADS

MHT and FHT ends for use with
most residential and commercial
grade garden hoses



VARIETY OF CONNECTIONS

Standard male, female, and
compression adapter fittings for a
wide variety of hose connections
including hose to hose

APPLICABLE CERTIFICATIONS:

NSF/ANSI 372
AB 1953

BRASS GARDEN HOSE FITTINGS

FEATURES:

- Several options provide a method to connect to plain end hoses
- Compatible with indoor or outdoor use
- Fitting adapters require a stainless steel clamp for a water-tight connection.
- Maximum Pressure: 150 PSI (Compression rated to 200 PSI)
- Working Pressure: 100 PSI



PART NO	DESCRIPTION	BX QTY	MC QTY
CAP BRASS			
GH-685B	3/4" FHT (Bagged)	-	24
GH-685BWH	3/4" FHT (Bulk)	50	400



WYE BRASS			
GH-695B	3/4" FHT x MHT x MHT (Bagged)	6	36
GH-695BWH	3/4" FHT x MHT x MHT (Bulk)	50	150



FEMALE COUPLING BRASS SWIVEL FEMALE HOSE THREAD			
GH-662B	3/4" FHT x 3/4" FHT (Bagged)	9	36



FEMALE ADAPTER BRASS SWIVEL BARB			
GH-683B	3/4" FHT x 3/8" ID Barb	3	36
GH-684B	3/4" FHT x 1/2" ID Barb	3	36
GH-593B	3/4" FHT x 3/4" ID Barb	3	36
GH-492B	3/4" FHT x 5/8" ID Barb	3	36



FEMALE ADAPTER BRASS SWIVEL FIP			
GH-660B	3/4" FHT x 1/2" FIP (Bagged)	-	12
GH-661B	3/4" FHT x 3/4" FIP (Bagged)	9	36



FEMALE ADAPTER BRASS SWIVEL COMPRESSION			
GH-696B	3/4" FHT x 1/4" OD Comp	3	36

BRASS GARDEN HOSE FITTINGS

FEATURES:

- Several options provide a method to connect to plain end hoses
- Compatible with indoor or outdoor use
- Fitting adapters require a stainless steel clamp for a water-tight connection.
- Maximum Pressure: 150 PSI (Compression rated to 200 PSI)
- Working Pressure: 100 PSI



PART NO	DESCRIPTION	BX QTY	MC QTY
FEMALE ADAPTER BRASS MIP			
GH-677B	3/4" FHT x 1/2" MIP (Bagged)	9	36
GH-677BWH	3/4" FHT x 1/2" MIP (Bulk)	50	400
GH-679B	3/4" FHT x 1/2" MIP (3/8" FIP) (Bagged)	6	36



FEMALE ADAPTER BRASS FIP			
GH-672B	3/4" FHT x 1/2" FIP (Bagged)	3	36
GH-673B	3/4" FHT x 3/4" FIP (Bagged)	3	36



MALE COUPLING BRASS MALE HOSE THREAD			
GH-680B	3/4" MHT x 3/4" MHT (Bagged)	-	12



MALE ADAPTER BRASS BARB			
GH-491B	3/4" MHT x 5/8" ID Barb (Bagged)	3	36
GH-491BWH	3/4" MHT x 5/8" ID Barb (Bulk)	50	400



FEMALE ADAPTER BRASS SWIVEL BARB			
GH-663B	3/4" MHT x 1/2" MIP (Bagged)	-	12
GH-665B	3/4" MHT x 3/4" MIP (1/2" FIP) (Bagged)	-	12
GH-665BWH	3/4" MHT x 3/4" MIP (1/2" FIP) (Bulk)	50	400



MALE ADAPTER BRASS FIP			
GH-668B	3/4" MHT x 1/2" FIP (Bagged)	6	36
GH-669B	3/4" MHT x 3/4" FIP (Bagged)	6	36