


# FAUCET & TOILET SUPPLY LINES

## PVC & BRAIDED STAINLESS STEEL

**TOILET CONNECTION**

All toilet lines come with a ballcock connection



**PVC LINES**

Reinforced PVC makes it flexible and lightweight

**APPLICABLE CERTIFICATIONS:**



**BRAIDED STAINLESS STEEL LINES**

Braided pattern prevents the line from kinking and crimping. Stainless Steel threads provide durability.

# BRAIDED STAINLESS STEEL FAUCET CONNECTORS

## CONNECTOR FEATURES:

- Easy to install connections.
- Designed for exposed or concealed locations.
- Reinforced PVC tube lining.
- Chrome-plated brass nuts.
- Maximum Pressure: 180 PSI
- Temperature Range: 33°F to 180°F
- NSF/ANSI 61



PART NO	DESCRIPTION	BX QTY	MC QTY
<b>FAUCET CONNECTORS   COMPRESSION X FIP</b>			
496-000	SS 3/8" COMP x 1/2" FIP, 9"	-	10
496-001	SS 3/8" COMP x 1/2" FIP, 12"	-	10
496-00110PK	SS 3/8" COMP x 1/2" FIP, 12" (10 PACK)	-	5
496-002	SS 3/8" COMP x 1/2" FIP, 16"	-	10
496-00210PK	SS 3/8" COMP x 1/2" FIP, 16" (10 PACK)	-	5
496-003	SS 3/8" COMP x 1/2" FIP, 20"	-	10
496-00310PK	SS 3/8" COMP x 1/2" FIP, 20" (10 PACK)	-	5
496-004	SS 3/8" COMP x 1/2" FIP, 24"	-	25
496-005	SS 3/8" COMP x 1/2" FIP, 30"	-	10
496-006	SS 3/8" COMP x 1/2" FIP, 36"	-	12
496-008	SS 3/8" COMP x 1/2" FIP, 48"	-	12
496-009	SS 3/8" COMP x 1/2" FIP, 60"	-	5
496-010	SS 3/8" COMP x 1/2" FIP, 72"	-	12
496-021	SS 3/8" COMP x 1/2" FIP, 96"	-	12
496-053	SS 7/16" COMP x 1/2" FIP, 20"	-	25
496-060	SS 1/2" COMP x 1/2" FIP, 9"	-	25
496-061	SS 1/2" COMP x 1/2" FIP, 12"	-	10
496-062	SS 1/2" COMP x 1/2" FIP, 16"	-	12
496-063	SS 1/2" COMP x 1/2" FIP, 20"	-	10
496-064	SS 1/2" COMP x 1/2" FIP, 24"	-	25
496-065	SS 1/2" COMP x 1/2" FIP, 30"	-	6
496-066	SS 1/2" COMP x 1/2" FIP, 36"	-	12
496-067	SS 1/2" COMP x 1/2" FIP, 48"	-	12
496-902	SS UNIVERSAL KIT, 20"*	-	10

10PK = 10 individual items in one bag  
 Universal Kit Includes: 1/2" FIP, 1/2" C, 3/8" FL, 7/16" C & 1/2" FL



## FAUCET CONNECTORS | COMPRESSION X DELTA CONNECTION

496-071	SS 3/8" COMP x 3/8" KC, 12"	-	10
496-072	SS 3/8" COMP x 3/8" KC, 16"	-	25
496-073	SS 3/8" COMP x 3/8" KC, 20"	-	10
496-076	SS 3/8" COMP x 3/8" KC, 36"	-	12

# BRAIDED STAINLESS STEEL FAUCET CONNECTORS

## CONNECTOR FEATURES:

- Easy to install connections.
- Designed for exposed or concealed locations.
- Reinforced PVC tube lining.
- Chrome-plated brass nuts.
- Maximum Pressure: 180 PSI
- Temperature Range: 33°F to 180°F
- NSF/ANSI 61



PART NO	DESCRIPTION	BX QTY	MC QTY
---------	-------------	--------	--------

### FAUCET CONNECTORS | COMPRESSION X COMPRESSION

496-030	SS 3/8" COMP x 3/8" COMP, 9"	-	25
496-031	SS 3/8" COMP x 3/8" COMP, 12"	-	10
496-032	SS 3/8" COMP x 3/8" COMP, 16"	-	25
496-243	SS 3/8" COMP x 3/8" COMP, 20"	-	20
496-034	SS 3/8" COMP x 3/8" COMP, 24"	-	25
496-035	SS 3/8" COMP x 3/8" COMP, 30"	-	12
496-036	SS 3/8" COMP x 3/8" COMP, 36"	-	12
496-037	SS 3/8" COMP x 3/8" COMP, 48"	-	12
496-038	SS 3/8" COMP x 3/8" COMP, 60"	-	12
496-039	SS 3/8" COMP x 3/8" COMP, 72"	-	12
496-040	SS 3/8" COMP x 3/8" COMP, 96"	-	12
496-047	SS 1/2" COMP x 1/2" COMP, 48"	-	12
496-049	SS 1/2" COMP x 1/2" COMP, 72"	-	12

### FAUCET CONNECTORS | FIP X FIP

496-011	SS 1/2" FIP x 1/2" FIP, 12"	-	10
496-012	SS 1/2" FIP x 1/2" FIP, 16"	-	25
496-013	SS 1/2" FIP x 1/2" FIP, 20"	-	10
496-014	SS 1/2" FIP x 1/2" FIP, 24"	-	25
496-015	SS 1/2" FIP x 1/2" FIP, 30"	-	10
496-016	SS 1/2" FIP x 1/2" FIP, 36"	-	12
496-017	SS 1/2" FIP x 1/2" FIP, 48"	-	12
496-018	SS 1/2" FIP x 1/2" FIP, 60"	-	12
496-019	SS 1/2" FIP x 1/2" FIP, 72"	-	12
496-020	SS 1/2" FIP x 1/2" FIP, 96"	-	12

### FAUCET CONNECTORS | FLARE X FIP

496-801	SS 3/8" FL x 1/2" FIP, 12"	-	25
496-802	SS 3/8" FL x 1/2" FIP, 16"	-	25
496-803	SS 3/8" FL x 1/2" FIP, 20"	-	25
496-804	SS 1/2" FL x 1/2" FIP, 20"	-	25
496-805	SS 1/2" FL x 1/2" FIP, 12"	-	25

# BRAIDED STAINLESS STEEL TOILET CONNECTORS

## CONNECTOR FEATURES:

- Easy to install connections.
- Designed for exposed or concealed locations.
- Reinforced PVC tube lining.
- Chrome-plated brass nuts.
- Maximum Pressure: 180 PSI
- Temperature Range: 33°F to 180°F
- NSF/ANSI 61



PART NO	DESCRIPTION	BX QTY	MC QTY
---------	-------------	--------	--------

### TOILET CONNECTORS | FIP X BALLCOCK

496-150	SS 1/2" FIP x 7/8" BC, 9"	-	20
496-151	SS 1/2" FIP x 7/8" BC, 12"	-	10
496-152	SS 1/2" FIP x 7/8" BC, 16"	-	25
496-153	SS 1/2" FIP x 7/8" BC, 20"	-	20

### TOILET CONNECTORS | COMPRESSION X METAL BALLCOCK

494-102	SS 3/8" COMP x 7/8" METAL BC, 9"	-	20
494-103	SS 3/8" COMP x 7/8" METAL BC, 12"	-	20
494-104	SS 3/8" COMP x 7/8" METAL BC, 16"	-	20
494-105	SS 3/8" COMP x 7/8" METAL BC, 20"	-	20

### TOILET CONNECTORS | COMPRESSION X BALLCOCK

496-102	SS 3/8" COMP x 7/8" BC, 9"	-	10
496-10210PK	SS 3/8" COMP x 7/8" BC, 9" (10 PACK)	-	5
496-103	SS 3/8" COMP x 7/8" BC, 12"	-	10
496-10310PK	SS 3/8" COMP x 7/8" BC, 12" (10 PACK)	-	5
496-103P3	SS 3/8" COMP x 7/8" BC, 12" (3 PACK)	-	8
496-104	SS 3/8" COMP x 7/8" BC, 16"	-	10
496-105	SS 3/8" COMP x 7/8" BC, 20"	-	10
496-113	SS 7/16" COMP x 7/8" BC, 12"	-	20
496-123	SS 1/2" COMP x 7/8" BC, 12"	-	10
496-133	SS 7/16" COMP x 7/8" BC, 20"	-	20
496-140	SS 1/2" COMP X 7/8" BC, 9"	-	5
496-142	SS 1/2" COMP X 7/8" BC, 16"	-	20
496-143	SS 1/2" COMP X 7/8" BC, 20"	-	20
496-911	SS UNIVERSAL KIT, 12"	-	10

10PK = 10 individual items in one bag

Universal Kit Includes: 1/2" FIP, 1/2" C, 3/8" FL, 7/16" C & 1/2" FL

### TOILET CONNECTORS | FLARE X BALLCOCK

496-811	SS 3/8" FL x 7/8" BC, 12"	-	20
496-813	SS 3/8" FL x 7/8" BC, 20"	-	12
496-821	SS 1/2" FL x 7/8" BC, 12"	-	10
496-823	SS 1/2" FL x 7/8" BC, 20"	-	12

# REINFORCED PVC FAUCET & TOILET CONNECTORS

## CONNECTOR FEATURES:

- Easy to install connections.
- Designed for exposed or concealed locations.
- Reinforced PVC tube lining.
- Chrome-plated brass nuts.
- Maximum Pressure: 180 PSI
- Temperature Range: 33°F to 180°F
- NSF/ANSI 61



PART NO	DESCRIPTION	BX QTY	MC QTY
<b>FAUCET CONNECTORS   COMPRESSION X FIP</b>			
495-001	PVC 3/8" COMP x 1/2" FIP, 12"	-	10
495-002	PVC 3/8" COMP x 1/2" FIP, 16"	-	10
495-003	PVC 3/8" COMP x 1/2" FIP, 20"	-	10
495-004	PVC 3/8" COMP x 1/2" FIP, 24"	-	25
495-005	PVC 3/8" COMP x 1/2" FIP, 30"	-	12
495-006	PVC 3/8" COMP x 1/2" FIP, 36"	-	10
495-053	PVC 7/16" COMP x 1/2" FIP, 20"	-	25
495-061	PVC 1/2" COMP x 1/2" FIP, 12"	-	25
495-062	PVC 1/2" COMP x 1/2" FIP, 16"	-	25
495-063	PVC 1/2" COMP x 1/2" FIP, 20"	-	25
495-064	PVC 1/2" COMP x 1/2" FIP, 24"	-	25
495-065	PVC 1/2" COMP x 1/2" FIP, 30"	-	12
495-066	PVC 1/2" COMP x 1/2" FIP, 36"	-	10



<b>FAUCET CONNECTORS   FIP X FIP</b>			
495-009	PVC 3/8" FIP x 1/2" FIP, 60"	-	12
495-011	PVC 1/2" FIP x 1/2" FIP, 12"	-	10
495-012	PVC 1/2" FIP x 1/2" FIP, 16"	-	25
495-013	PVC 1/2" FIP x 1/2" FIP, 20"	-	10
495-014	PVC 1/2" FIP x 1/2" FIP, 24"	-	25
495-015	PVC 1/2" FIP x 1/2" FIP, 30"	-	12
495-016	PVC 1/2" FIP x 1/2" FIP, 36"	-	12

## FAUCET CONNECTORS | COMPRESSION X DELTA CONNECTION (NOT PICTURED)

495-073	PVC 3/8" COMP x 3/8" KC, 20"	-	25
---------	------------------------------	---	----



<b>TOILET CONNECTORS   COMPRESSION X BALLCOCK</b>			
495-102	PVC 3/8" COMP x 7/8" BC, 9"	-	10
495-103	PVC 3/8" COMP x 7/8" BC, 12"	-	10
495-104	PVC 3/8" COMP x 7/8" BC, 16"	-	25
495-105	PVC 3/8" COMP x 7/8" BC, 20"	-	10
495-113	PVC 7/16" COMP x 7/8" BC, 12"	-	20
495-123	PVC 1/2" COMP x 7/8" BC, 12"	-	20
495-133	PVC 7/16" COMP x 7/8" BC, 20"	-	20
495-140	PVC 1/2" COMP x 7/8" BC, 9"	-	20
495-143	PVC 1/2" COMP x 7/8" BC, 20"	-	20



<b>TOILET CONNECTORS   FIP X BALLCOCK</b>			
495-150	PVC 1/2" FIP x 7/8" BC, 9"	-	20
495-151	PVC 1/2" FIP x 7/8" BC, 12"	-	20